

Display Energy Certificate

How efficiently is this building being used?

University of Bath
THE EDGE
University of Bath
The Avenue
Claverton Down
BATH
BA2 7AY


Certificate Reference Number:
9000-6900-0143-0376-9510

This certificate indicates how much energy is being used to operate this building. The operational rating is based on meter readings of all the energy actually used in the building including for lighting, heating, cooling, ventilation and hot water. It is compared to a benchmark that represents performance indicative of all buildings of this type. There is more advice on how to interpret this information in the guidance document *Display Energy Certificates and advisory reports for public buildings* available on the Government's website at: www.gov.uk/government/collections/energy-performance-certificates.

Energy Performance Operational Rating


This tells you how efficiently energy has been used in the building. The numbers do not represent actual units of energy consumed; they represent comparative energy efficiency. 100 would be typical for this kind of building.

More energy efficient




Total CO₂ Emissions

This tells you how much carbon dioxide the building emits. It shows tonnes per year of CO₂.



Previous Operational Ratings

This tells you how efficiently energy has been used in this building over the last three accounting periods.



Technical Information

This tells you technical information about how energy is used in this building. Consumption data based on estimates.

Main heating fuel: Natural Gas
Building environment: Heating and Natural Ventilation
Total useful floor area (m²): 4492
Asset Rating: 36

	Heating	Electricity
Annual Energy Use (kWh/m ² /year)	105	69
Typical Energy Use (kWh/m ² /year)	258	101
Energy from renewables	0.0%	0.0%

Administrative Information

This is a Display Energy Certificate as defined in the Energy Performance of Buildings Regulations 2012 as amended.

Assessment Software: Camco/EPES, EPLabel, v2.4
Property Reference: 614009700056
Assessor Name: Mr. Craig Morey
Assessor Number: EES/021932
Accreditation Scheme: Elmhurst Energy Systems
Employer/Trading Name: Verco
Employer/Trading Address: Overmoor, Neston, Corsham, Wiltshire, SN13 9TZ
Issue Date: 05-04-2018
Nominated Date: 31-10-2017
Valid Until: 30-10-2018
Related Party Disclosure: Not related to the occupier.

Recommendations for improving the energy performance of the building are contained in the associated Recommendation Report - .
You can obtain contact details of Elmhurst Energy Systems at www.elmhurstenergy.co.uk.