

Display Energy Certificate

How efficiently is this building being used?

University of Bath
1 SOUTH
University of Bath
The Avenue
Claverton Down
BATH
BA2 7AY

Certificate Reference Number:
0960-0917-0049-1799-0396

This certificate indicates how much energy is being used to operate this building. The operational rating is based on meter readings of all the energy actually used in the building. It is compared to a benchmark that represents performance indicative of all buildings of this type. There is more advice on how to interpret this information on the Government's website www.communities.gov.uk/epbd.

Energy Performance Operational Rating

This tells you how efficiently energy has been used in the building. The numbers do not represent actual units of energy consumed; they represent comparative energy efficiency. 100 would be typical for this kind of building.

More energy efficient

A 0-25

B 26-50

C 51-75

D 76-100

..... 100 would be typical

E 101-125

F 126-150


G Over 150

Less energy efficient

301


Total CO₂ Emissions

This tells you how much carbon dioxide the building emits. It shows tonnes per year of CO₂.



Previous Operational Ratings

This tells you how efficiently energy has been used in this building over the last three accounting periods.



Technical Information

This tells you technical information about how energy is used in this building. Consumption data based on estimates.

Main heating fuel: Natural Gas
Building environment: Heating and Mechanical Ventilation
Total useful floor area (m²): 4873
Asset Rating: Not available

	Heating	Electricity
Annual Energy Use (kWh/m ² /year)	395	428
Typical Energy Use (kWh/m ² /year)	229	108
Energy from renewables	0.0%	0.0%

Administrative Information

This is a Display Energy Certificate as defined in SI 2007/991 as amended.

Assessment Software: Camco/EPES, EPLabel, v2.4
Property Reference: 614009700030
Assessor Name: Mr Gregory Waring
Assessor Number: NHER006487
Accreditation Scheme: National Energy Services Ltd
Employer/Trading Name: Verco
Employer/Trading Address: The Workstation, 15 Paternoster Row, Sheffield, S1 2BX

Issue Date: 21-02-2014
Nominated Date: 31-10-2013
Valid Until: 30-10-2014
Related Party Disclosure: Not related to the occupier.

Recommendations for improving the energy efficiency of the building are contained in the accompanying Advisory Report.