

Display Energy Certificate

How efficiently is this building being used?

University of Bath
Sulis Sports Club
University of Bath, Claverton Down Road
Combe Down
BATH
BA2 7AU


Certificate Reference Number:
0960-0517-0089-7599-2092

This certificate indicates how much energy is being used to operate this building. The operational rating is based on meter readings of all the energy actually used in the building. It is compared to a benchmark that represents performance indicative of all buildings of this type. There is more advice on how to interpret this information on the Government's website www.communities.gov.uk/epbd.


Energy Performance Operational Rating

This tells you how efficiently energy has been used in the building. The numbers do not represent actual units of energy consumed; they represent comparative energy efficiency. 100 would be typical for this kind of building.

More energy efficient




..... 100 would be typical



Less energy efficient


Total CO₂ Emissions

This tells you how much carbon dioxide the building emits. It shows tonnes per year of CO₂.



Previous Operational Ratings

This tells you how efficiently energy has been used in this building over the last three accounting periods.



Technical Information

This tells you technical information about how energy is used in this building. Consumption data based on actual meter readings.

Main heating fuel: Natural Gas
Building environment: Heating and Natural Ventilation
Total useful floor area (m²): 1168
Asset Rating: Not available

| | Heating | Electricity |
|---|---------|-------------|
| Annual Energy Use (kWh/m ² /year) | 90 | 19 |
| Typical Energy Use (kWh/m ² /year) | 372 | 112 |
| Energy from renewables | 0.0% | 0.0% |

Administrative Information

This is a Display Energy Certificate as defined in SI 2007/991 as amended.

Assessment Software: Camco/EPES, EPLabel, v2.4
Property Reference: 678025500000
Assessor Name: Mr Gregory Waring
Assessor Number: NHER006487
Accreditation Scheme: National Energy Services Ltd
Employer/Trading Name: Verco
Employer/Trading Address: The Workstation, 15 Paternoster Row, Sheffield, S1 2BX
Issue Date: 20-02-2014
Nominated Date: 31-10-2013
Valid Until: 30-10-2014
Related Party Disclosure: Not related to the occupier.

Recommendations for improving the energy efficiency of the building are contained in the accompanying Advisory Report.